

Flatbed trailers and wheels-in trailers

# Tandem trailers and turntable trailers

Light professional trailers up to 3.5 t



MAKES IT HAPPEN



2000 series

[humbaur.com](http://humbaur.com)

# Allow us to convince you



Our arguments make it easy for you to become a convinced fan of high-quality Humbaaur products.



### **30 years of experience**

For the past three decades, we have been among the leading manufacturers of passenger vehicle trailers. Over 650,000 trailers have left our premises since the establishment of our company. We now manufacture approximately 50,000 units per year. You will be able to discover this abundance of experience in each of our trailers.

### **High quality**

Robust and long lasting – these are the qualities a trailer needs to have. We achieve this goal by using excellent components and first-class manufacturing processes. We inspect each trailer in detail before delivering it.

### **Multiple transport solutions**

Our products cover a particularly wide range of applications. Are you looking for a trailer for private or business use? Then you will find a suitable model for a wide range of applications with us. Choose between a permissible gross weight of 750 kg up to 40 t.

### **Large choice of accessories**

Do you have a lot of individual requirements for your trailer? With our many suitable accessories, each customer can extend our comprehensive range of serial accessories to suit his needs.

### **Enthusiastic customer service**

Your nearby specialist dealer can provide you with trailers up to 3.5 t. Owners of trailers with a gross weight of over 5 t can make use of our direct service. Whether you need a spare part or have questions about applications – we and your local dealer are there to assist you.

### **High-quality components**

Quality is in the detail, which is why Humbaaur only makes use of high-quality vehicle components made by well-known manufacturers. We are continuously exchanging experiences with our suppliers. This allows us constantly to optimise products.

### **Made in Germany**

Whether you decide on one of our 415 serial models or commission a special model customised to your individual requirements: We develop and manufacture all our trailers in accordance with the latest state of technology. You will receive top-class quality »made in Germany«.

## Follow **Humbaaur!**

**They don't leave me out in the rain.**

Laura Poletti, roofer, Rome

# Maintain an overview

## Table of Contents

Allow us to convince you .....	2
Overview .....	4
<b>Tandem flatbed trailers</b>	
Aluminium HA .....	6
<b>Tandem wheels-in trailers</b>	
Aluminium HN .....	10
Aluminium HT .....	16
Optional accessories.....	22
We at Humbaur .....	27



# Tandem wheels-in and flatbed trailers

## The 2000 series



**Tandem flatbed trailers**  
**Aluminium HA**

Use them to transport motorcycles, bicycles, gardening equipment or whatever you want. Our HA flatbed trailers can be equipped with a wide variety of accessories, for every application. Their design promises stability and a long service life: The frame and drop sides are made from of robust aluminium. The 15 mm thick flooring made from waterproof multi-layer glued material is coated to produce a non-slip surface. This can be easily replaced if necessary. Optimum load securing is ensured by six recessed lashing brackets in the side walls: Each one withstands 400 kg, tested by Dekra.



**Tandem wheels-in trailers**  
**Aluminium HN**

Do you load your trailer by hand now and again? There are lots of reasons why you would need a lower loading height. The HN wheels-in trailer will always be of assistance to you with its low frame loading height of 610 mm. We have designed it for many years of versatile deployment: The constituent parts of the frame and chassis are hot-dip galvanised to protect them from corrosion. Its high quality is demonstrated in daily use by professionals. You are certain to find the right wheels-in trailer for your business in the wide range of body dimensions and payloads on offer.



**Tandem wheels-in trailers**  
**Aluminium HT**

Everything a professional needs: A sturdy wheels-in trailer with a completely hot-dip galvanised frame and chassis. All major components such as the side members and underride protection have also been protected from corrosion and are easy to replace if damaged during day-to-day heavy-duty use. At least six lashing rings are available to secure your load. Each individual lashing ring can withstand a tensile force up to 400 kg and all rings have been tested by Dekra. The HT series offers you a loading height of 700 to 725 mm. Its double-walled aluminium drop sides are sturdy and attractive.





# Tandem flatbed trailer HA

The multi-functional transport aid for a variety of tasks.



## 2000 series

Model	HA 202513	HA 203015
Body dimensions in mm	3940 x 1810 x 905	4460 x 2004 x 900
Internal dimensions in mm	2510 x 1310 x 350	3030 x 1500 x 350
Permissible gross weight in kg	2000	2000
Load capacity in kg	1670	1633
Load height in mm	525	525
Tyre size in inches	13	13

Model	HA 253015
Body dimensions in mm	4460 x 2004 x 930
Internal dimensions in mm	3030 x 1500 x 350
Permissible gross weight in kg	2500
Load capacity in kg	2113
Load height in mm	550
Tyre size in inches	15

- 1 3 pairs of lashing rings, each with a tensile force of 400 kg, integrated into the drop sides
- 2 Aerodynamic plastic fenders
- 3 Flexible use for commercial, artisanal and private use


Subject to change without notice. All dimensions are approximate values. refer to the standard vehicle without accessories.



1 2  
3



# Tandem flatbed trailer HA



## Accessories (optional)

- 2 prop stands
- Wheel shock absorber (with and without 100 km/h confirmation)
- Welded H-frame
- Set of rails (side front and rear)
- Aluminium drop side extension
- Wood/aluminium cover
- Rail on wood/aluminium cover
- Spare wheel holder
- Cover net
- 1 bicycle stand with bracket
- 2 bicycle stands, width 1310 mm
- Blue flat cover with rail connection
- Cover and frame in various versions

Other accessories on request



# Tandem wheels-in trailer HN

Your optimal partner for day-to-day professional use

- 1** V drawbar, **hot-dip galvanised**
- 2** 13-pin plug and reversing light
- 3** Floor plate **18 mm thick**
- 4** **Drop sides** made of **anodised, double-walled aluminium** with recessed locks, **completely removable**
- 5** **Lashing rings** integrated into outer V frame profile, tensile force of 400 kg per lashing ring (tested by Dekra), 3 pairs for a body length of 2650 and 3100 mm, 4 pairs for a body length of 4100 to 6100 mm
- 6** Humbaur **multifunctional lighting** integrated into underride protection
- 7** **Corner stanchions** with insert option
- 8** **Jockey wheel**



## Accessories (optional)

- 2 telescopic prop stands
- Height-adjustable drawbar
- Wheel shock absorber (with and without 100 km/h confirmation)
- Long drawbar
- Aluminium drop side extension
- Spare wheel and bracket
- Cover net
- Aluminium ramps can slide under the cargo bed
- H-frame
- Cover and frame in various versions
- Spare wheel / spare wheel bracket

Other accessories on request

## 2000 series

<b>Model</b>	<b>HN 202616</b>	<b>HN 203116</b>	<b>HN 203118</b>	<b>HN 203121</b>	<b>HN 204118</b>
<b>Body dimensions in mm</b>	4054 x 1713 x 930	4507 x 1713 x 935	4501 x 1913 x 985	4475 x 2163 x 985	5490 x 1913 x 985
<b>Internal dimensions in mm</b>	2650 x 1650 x 300	3100 x 1650 x 300	3100 x 1850 x 350	3100 x 2100 x 350	4100 x 1850 x 350
<b>Permissible gross weight in kg</b>	2000	2000	2000	2000	2000
<b>Load capacity in kg</b>	1590	1550	1510	1480	1440
<b>Load height in mm</b>	610	610	610	610	610
<b>Tyre size in inches</b>	10	10	10	10	10
<b>Model</b>	<b>HN 204121</b>	<b>HN 253118</b>	<b>HN 253121</b>	<b>HN 254118</b>	<b>HN 254121</b>
<b>Body dimensions in mm</b>	5475 x 2163 x 985	4501 x 1913 x 1000	4475 x 2163 x 1000	5490 x 1913 x 1000	5475 x 2163 x 1000
<b>Internal dimensions in mm</b>	4100 x 2100 x 350	3100 x 1850 x 350	3100 x 2100 x 350	4100 x 1850 x 350	4100 x 2100 x 350
<b>Permissible gross weight in kg</b>	2000	2500	2500	2500	2500
<b>Load capacity in kg</b>	1410	2010	1980	1940	1900
<b>Load height in mm</b>	610	610	610	610	610
<b>Tyre size in inches</b>	10	10	10	10	10



Subject to change without notice. All dimensions are approximate values refer to the standard vehicle without accessories.

# Tandem wheels-in trailer HN

Model	HN 255121	HN 303118	HN 303121
Body dimensions in mm	6476 x 2136 x 1000	4501 x 1913 x 1000	4475 x 2163 x 1135
Internal dimensions in mm	5100 x 2100 x 350	3100 x 1850 x 350	3100 x 2100 x 350
Permissible gross weight in kg	2500	3000	3000
Load capacity in kg	1840	2510	2460
Load height in mm	645	610	610
Tyre size in inches	13	10	10

Model	HN 304118	HN 304121	HN 305121
Body dimensions in mm	5490 x 1913 x 1000	5475 x 2163 x 1000	6476 x 2136 x 1000
Internal dimensions in mm	4100 x 1850 x 350	4100 x 2100 x 350	5100 x 2100 x 350
Permissible gross weight in kg	3000	3000	3000
Load capacity in kg	2410	2380	2310
Load height in mm	610	610	645
Tyre size in inches	10	10	13

- 1 Aluminium ramp – can slide under cargo bed (optional)
- 2 Removable stanchions and stanchion brackets, hot-dip galvanised
- 3 Can be inserted into all four corners
- 4 Up to internal dimensions of 5100 x 2100 mm, with a floor plate in one piece
- 5 Cover and frame, various loading heights (optional)





# Your perfect partners for day-to-day use



»We don't have only **fans...** but we have real **followers!**«



# Tandem wheels-in trailer HT

- 1** V drawbar, **hot-dip galvanised**
- 2** 13-pin plug and reversing light
- 3** Floor plate **18 mm thick**
- 4** **Drop sides** made of **anodised aluminium** with recessed locks, **completely removable**
- 5** **Lashing rings** integrated into outer V frame profile, tensile force of 400 kg per lashing ring (tested by Dekra), 6 pairs for a body length of 2650 and 3100 mm, 8 pairs for a body length of 4100 to 6100 mm
- 6** Humbaur **multifunctional lighting** integrated into underride protection
- 7** **Corner stanchions** with insert option
- 8** **Jockey wheel**

A universal work horse –  
sturdy and versatile



## Accessories (optional)

- 2 telescopic prop stands
- DIN towing eye or ball head coupling for height-adjustable drawbar
- Wheel shock absorber (with and without 100 km/h confirmation)
- Long drawbar
- Aluminium drop side extension
- Spare wheel and bracket
- Cover net
- Aluminium ramps can slide under the cargo bed
- H-frame
- Cover and frame in various versions

Other accessories on request



# Tandem wheels-in trailer HT

## 2000 series

Model	HT 202616	HT 203116	HT 203118	HT 203121	HT 204118
Body dimensions in mm	4057x1713x1040	4514x1713x1060	4488x1913x1110	4475x2163x1110	5488x1913x1110
Internal dimensions in mm	2650x1650x300	3100x1650x300	3100x1850x350	3100x2100x350	4100x1850x350
Permissible gross weight in kg	2000	2000	2000	2000	2000
Load capacity in kg	1570	1540	1500	1460	1420
Load height in mm	700	705	725	725	725
Tyre size in inches	13	13	14	14	14

Model	HT 204121	HT 253118	HT 253121	HT 254118	HT 254121
Body dimensions in mm	5476x2163x1110	4488x1913x1110	4475x2163x1110	5488x1913x1110	5476x2163x1110
Internal dimensions in mm	4100x2100x350	3100x1850x350	3100x2100x350	4100x1850x350	4100x2100x350
Permissible gross weight in kg	2000	2500	2500	2500	2500
Load capacity in kg	1390	1990	1950	1910	1880
Load height in mm	725	735	725	725	725
Tyre size in inches	14	15	15	15	15

Model	HT 255221 GR	HT 255225 GR	HT 256221 GR	HT 256225 GR	HT 303118
Body dimensions in mm	6870x2136x1120	6870x2536x1120	7610x2136x1120	7910x2536x1120	4488x1913x1135
Internal dimensions in mm	5220x2070x350	5220x2470x350	6220x2070x350	6220x2470x350	3100x1850x350
Permissible gross weight in kg	2500	2500	2500	2500	3000
Load capacity in kg	1750	1660	1640	1535	2480
Load height in mm	785	785	740	760	755
Tyre size in inches	14	14	14	14	14

Subject to change without notice. All dimensions are approximate values refer to the standard vehicle without accessories.



## 2000 series

Model	HT 303121	HT 304118	HT 304121	HT 305121	HT 305124
Body dimensions in mm	4475x2163x1135	5488x1913x1135	5476x2163x1135	6476x2163x1135	6795x2543x1135
Internal dimensions in mm	3100x2100x350	4100x1850x350	4100x2100x350	5100x2100x350	5100x2480x350
Permissible gross weight in kg	3000	3000	3000	3000	3000
Load capacity in kg	2440	2390	2360	2290	2200
Load height in mm	755	755	755	755	755
Tyre size in inches	14	14	14	14	14

Model	HT 306221 GR	HT 306225 GR	HT 353118	HT 353121	HT 354118
Body dimensions in mm	7620x2136x1120	7910x2536x1120	4517x1913x1140	4501x2163x1140	5517x1913x1140
Internal dimensions in mm	6220x2070x350	6220x2470x350	3100x1850x350	3100x2100x350	4100x1850x350
Permissible gross weight in kg	3000	3000	3500	3500	3500
Load capacity in kg	2140	2035	2930	2890	2830
Load height in mm	785	760	770	770	770
Tyre size in inches	14	14	14	14	14

Model	HT 354121	HT 355221 GR	HT 355225 GR	HT 356221 GR	HT 356225 GR
Body dimensions in mm	5501x2163x1140	6870x2136x1120	6870x2536x1120	7660x2136x1120	7870x2536x1120
Internal dimensions in mm	4100x2100x350	5220x2070x350	5220x2470x350	6220x2070x350	6220x2470x350
Permissible gross weight in kg	3500	3500	3500	3500	3500
Load capacity in kg	2800	2620	2585	2560	2475
Load height in mm	770	770	770	770	770
Tyre size in inches	14	14	14	14	14

Subject to change without notice. All dimensions are approximate values refer to the standard vehicle without accessories.

# Tandem wheels-in trailer HT



- 1 Optional drive-up ramps can be inserted into the ramp slot under the cargo bed
- 2 Wheel shock absorbers for the 100 km/h version (optional)
- 3 Frame and chassis hot-dip galvanized
- 4 Corner stanchions when drop sides are down
- 5 Cover and frame, can be rolled up at the back (optional)
- 6 350 mm drop side extension (optional)



# Optional accessories – as desired


## Body




Drop side extension 350 mm



Divided drop side with central rung



Rail on wood/aluminium cover



Bicycle stands (2 x, loose)



Drop side extension 350 mm, 2-part



H-frame



Side rail



Floor plate with aluminium treat plate



Wood/aluminium cover for basic drop side  
(provided loose or mounted)



Front and rear rail


## Chassis



AKS safety coupling



Height-adjustable drawbar (ball coupling and DIN towing eye not included)



Aluminium ramps (2 x)



Ball coupling for HV drawbar,  
2,000 kg - 2,500 kg and 3,000 kg - 3,500 kg



DIN towing eye for HV drawbar,  
2,000 kg - 2,500 kg and 3,000 kg - 3,500 kg



Telescopic prop stands (2 x)

## Anti-theft device



Shackle lock



Safety Compact anti-theft device



Metal locking shoe with lock

## Electric systems



7- to 13-pin adapter

# Optional accessories – as desired

## Load securing



Lashing rings recessed into wooden floor, tensile force, 0.2 t each (4 x)



Folding rings (4 x)



Lashing rings recessed into wooden floor, tensile force, 0.4 t each (4x or 6x)



Lashing rings (incl. screws)



Bicycle stand with lockable bracket (1 x)

## Wheels and tyres



Spare wheel (loose)



Wheel shock absorbers (mounted) incl. 100 km/h confirmation, wheel shock absorbers (loose) without 100 km/h confirmation



Spare wheel holder (loose)



Spare wheel mounted on drawbar (only possible with long drawbars)

## Tarpaulins



Flat cover (can also be used with drop side extension)



Cover and frame, loading height 1,300 mm, 1,600 mm, 1,800 mm and 2,000 mm; cover available in various colours



Flat cover (version without rail)



Flat cover (version with side rail)  
incl. front and rear rail

## Tarpaulins in standard colours



White /  
similar to RAL 9010



Medium yellow /  
similar to RAL 1003



Orange /  
similar to RAL 2011



Grey /  
similar to RAL 7038



Red /  
similar to RAL 3002



Green /  
similar to RAL 6026



Blue /  
similar to RAL 5002



Please note that the colours illustrated may differ from the original colours.



## “Quality made in Germany...”

...has been our motto since the company was established in 1957. With around 420 serial production models for the private and commercial sectors, Humbaur is one of Europe's leading trailer manufacturers.

Innovative and experienced, with a presence throughout Europe and beyond. As an owner-managed, medium-sized family business, we know what our customers need and how they work. This is why we develop our products meticulously, manufacturing them with the greatest care and then putting them through their paces. Innovative ideas, cutting-edge manufacturing, a clear focus on quality and competent, comprehensive support are our strengths. Strengths that we provide to serve our customers.

*Ulrich Humbaur*  
*Proprietor, Director / CEO*



## Have a look at our product range.

We offer a large variety of trailer models. Throw a glance at our brochures to see our **single-axle trailers, vehicle, animal and universal transport trailers, construction site and flatbed trailers and commercial trailers.**

We will gladly customise a trailer to meet your needs. Speak to us!



**MAKES IT HAPPEN**

Ihr Humbaaur-Händler:

Safety note! The trailer may only be used with express adherence to all road traffic, professional association and load securing regulations. We assume no responsibility for printing or other errors or omissions. Subject to change without notice. All dimensions are approximate values, refer to the standard vehicle without accessories. Printed in Germany. Reprint prohibited - Illustrations similar; some trailers and detailed images show special equipment - Order no. 009.00079 - Date: 10/18.

